

Chapter 1 Exam A

Name _____

MULTIPLE CHOICE. Select the choice that best answers the problem.

- 1) Determine whether the given value is a statistic or a parameter.

In studying the loggerhead turtle on Anna Maria Island, FL, scientists observe the average (mean) number of hatchlings in all 253 nests.

- A) Statistic B) Parameter

1) _____

- 2) Determine whether the given value is a statistic or a parameter.

A sample of Medtronic's rechargeable implanted spine stimulator batteries lasted an average (mean) of nine years.

- A) Statistic B) Parameter

2) _____

- 3) A _____ is the complete collection of all measurements or data, whereas, a _____ is a subcollection of members selected from the complete collection.

- A) sample; population B) population; sample
C) sample; census D) population; parameter

3) _____

- 4) Determine whether the given values are from a discrete or a continuous data set.

People are asked to state how many times in the last month they visited their family doctor.

- A) Discrete B) Continuous

4) _____

- 5) Determine whether the given values are from a discrete or a continuous data set.

The number of hatchlings from a sample of 45 bluebird nests is 135.

- A) Discrete B) Continuous

5) _____

- 6) Determine which of the four levels of measurement is most appropriate.

Doctors measure the weights (in pounds) of preterm babies.

- A) Nominal B) Ordinal C) Interval D) Ratio

6) _____

- 7) Determine which of the four levels of measurement is most appropriate.

Ornithologists classify hummingbirds in the United States using 17 different species: Allen, Anna, Berylline, Black-chinned, Blue-throated, Broad-billed, Broad-tailed, Buff-bellied, Calliope, Costa, Lucifer, Magnificent, Ruby-throated, Rufous, Violet-crowned, White-eared, and Xantus.

- A) Nominal B) Ordinal C) Interval D) Ratio

7) _____

- 8) Determine which of the four levels of measurement is most appropriate.

The income range of attendees at a research conference is gathered as upper, middle, and low levels.

- A) Nominal B) Ordinal C) Interval D) Ratio

8) _____

- 9) Determine which of the four levels of measurement is most appropriate.

Biologists measure the water temperature of the Merrimack River in New Hampshire.

- A) Nominal B) Ordinal C) Interval D) Ratio

9) _____

- 10) Identify the population.
A graduate student conducts a research study on undergraduate student smoking habits. She begins with a survey to 500 randomly selected undergraduate students from 10 randomly selected U.S. universities.
- A) 500 undergraduate students from 10 U.S. universities
B) Undergraduate students from U.S. universities
C) Graduate students from U.S. universities
D) Smokers in the U.S.
- 11) Determine whether the given description corresponds to an observational study or an experiment.
In a study of cold symptoms, the body temperatures of study participants were taken.
- A) Observational study B) Experiment
- 12) Determine whether the given description corresponds to an observational study or an experiment.
Children with attention deficit hyperactivity disorder are randomly divided into four treatment groups (the Tomatis Method, the Dore Method, the Brain Gym, and a control group) to compare differences in focus and concentration.
- A) Observational study B) Experiment
- 13) Identify the type of observational study: cross-sectional, retrospective, or prospective.
A researcher from the department of defense is studying the psychology of trauma.
He plans to follow the children of service members who died in Afghanistan for the next 20 years.
- A) Cross-sectional B) Retrospective C) Prospective
- 14) Identify the type of observational study: cross-sectional, retrospective, or prospective.
Scientists studying the migration habits of Aleutian geese collect data from reports measuring the number of geese during "fly-offs" over the past 15 years.
- A) Cross-sectional B) Retrospective C) Prospective
- 15) Determine the type of sampling used: systematic, convenience, stratified, or cluster.
To conduct a study of hospital admittance procedures, a list of hospital locations according to county is compiled. All the hospitals from 20 randomly selected counties are selected to be surveyed.
- A) Systematic
B) Convenience
C) Stratified
D) Cluster
- 16) Determine the type of sampling used: systematic, convenience, stratified, or cluster.
A county water quality control officer obtains a list of all residential addresses in the county and constructs a sample of homes to monitor by selecting every 200th home on the list.
- A) Systematic
B) Convenience
C) Stratified
D) Cluster
- 17) Determine the type of sampling used: systematic, convenience, stratified, or cluster.
To obtain a sample of pregnant women, a researcher contacts her son's preschool teacher for a list of names.
- A) Systematic
B) Convenience
C) Stratified
D) Cluster

- 18) Determine the type of sampling used: systematic, convenience, stratified, or cluster. 18) _____
Biologists divide the regions where Red foxes are found into the Nearctic, Palearctic, Oriental, Ethiopian, and the Australian region. They plan to follow 100 female foxes from each region to find the average (mean) number of their offspring.
- A) Systematic
 - B) Convenience
 - C) Stratified
 - D) Cluster
- 19) To assess the variation in measurement (in cubic centimeters) of pre-filled syringes containing experimental cervical cancer vaccine, manufacturers select every 200th syringe beginning at a random moment. Does this sampling plan result in a random sample? Simple random sample? 19) _____
A) Yes; yes B) Yes; no C) No; yes D) No; no
- 20) To monitor levels of the giardia parasite in the Rio Grande, aquatic biologists collect test tube samples at various locations determined by a computer randomization program. Does this sampling plan result in a random sample? Simple random sample? 20) _____
A) Yes; yes B) Yes; no C) No; yes D) No; no

Answer Key

Testname: CHAPTER 1 EXAM A

- 1) B
- 2) A
- 3) B
- 4) A
- 5) A
- 6) D
- 7) A
- 8) B
- 9) C
- 10) B
- 11) A
- 12) B
- 13) C
- 14) B
- 15) D
- 16) A
- 17) B
- 18) C
- 19) B
- 20) A

Chapter 1 Exam B

Name _____

MULTIPLE CHOICE. Select the choice that best answers the problem.

- 1) Determine whether the given value is a statistic or a parameter.

Nurses measure and calculate the average (mean) body temperature for all 187 patients at a regional hospital.

- A) Statistic B) Parameter

1) _____

- 2) Determine whether the given value is a statistic or a parameter.

A sample of Sidewinder, or Horned, Rattlesnakes is found to have an average (mean) length of 26 inches.

- A) Statistic B) Parameter

2) _____

- 3) Determine whether the given values are from a discrete or a continuous data set.

A sample of male Bighorn sheep has an average (mean) horn base circumference of 43.2 centimeters.

- A) Discrete B) Continuous

3) _____

- 4) Determine whether the given values are from a discrete or a continuous data set.

The Produce for Better Health Foundation manages the campaign advocating consumers to eat “5 Fruits and Vegetables A Day for Better Health” and gathers data on the number of servings of fruit and vegetables that a sample of Americans ate yesterday

- A) Discrete B) Continuous

4) _____

- 5) Determine which of the four levels of measurement is most appropriate.

Doctors measure the weights (in pounds) of pregnant women.

- A) Nominal B) Ordinal C) Interval D) Ratio

5) _____

- 6) Determine which of the four levels of measurement is most appropriate.

Scientists classify the four major deserts in North America using different regions: the Great Basin, the Mojave, the Sonoran, and the Chihuahuan.

- A) Nominal B) Ordinal C) Interval D) Ratio

6) _____

- 7) Determine which of the four levels of measurement is most appropriate.

Physicians rank the severity of asthma using mild intermittent asthma, mild persistent asthma, moderate persistent asthma, severe persistent asthma, or brittle asthma.

- A) Nominal B) Ordinal C) Interval D) Ratio

7) _____

- 8) Determine which of the four levels of measurement is most appropriate.

Biologists monitor the air temperature of the Biosphere 2 in Oracle, Arizona.

- A) Nominal B) Ordinal C) Interval D) Ratio

8) _____

- 9) A _____ is the complete collection of all measurements or data, whereas, a _____ is a subcollection of members selected from the complete collection.

- A) population; sample B) sample; population
C) sample; census D) population; parameter

9) _____

- 10) Determine whether the given description corresponds to an observational study or an experiment.

In a study of the Bald Eagle population, the number of breeding pairs is counted.

- A) Observational study B) Experiment

10) _____

- 11) Determine whether the given description corresponds to an observational study or an experiment. 11) _____
Patients with severe heart failure were randomly assigned to two treatment groups to compare death and hospitalization rates. One group was treated with drug therapy while the other group was treated with a combination of drugs and an electrical device.
A) Observational study B) Experiment
- 12) Identify the type of observational study: cross-sectional, retrospective, or prospective. 12) _____
Climatologists studying global warming record the average (mean) temperature of the Earth and the change in size of the ice caps during the next 50 years.
A) Cross-sectional B) Retrospective C) Prospective
- 13) Identify the type of observational study: cross-sectional, retrospective, or prospective. 13) _____
Geneticists studying the biodiversity of roses collect data from reports classifying the number of varieties during the past 30 years.
A) Cross-sectional B) Retrospective C) Prospective
- 14) In a cross-sectional study, data are _____. 14) _____
A) observed, measured, and collected at one point of time
B) observed, measure, and collected over a period of time
C) collected from a past time period
D) collected in the future from groups that share common factors
- 15) Determine the type of sampling used: systematic, convenience, stratified, or cluster. 15) _____
Biologists studying the pH level of state waterways obtain a sample of streams from a randomly generated list by selecting every 5th stream on the list.
A) Systematic
B) Convenience
C) Stratified
D) Cluster
- 16) Determine the type of sampling used: systematic, convenience, stratified, or cluster. 16) _____
To conduct a survey of the interest of U.S. citizens in Yellowstone National Park, a list of zipcodes is compiled. All citizens in 50 different zipcodes are selected to be mailed a survey.
A) Systematic
B) Convenience
C) Stratified
D) Cluster
- 17) Determine the type of sampling used: systematic, convenience, stratified, or cluster. 17) _____
To obtain a sample of diabetics, a graduate student contacts nearby hospitals for a list of names.
A) Systematic
B) Convenience
C) Stratified
D) Cluster
- 18) Determine the type of sampling used: systematic, convenience, stratified, or cluster. 18) _____
Medical researchers following living organ donors classify donors according to whether they donated a kidney, a portion of the liver, a portion of the lung, bone marrow, or blood. The general health of 200 donors from each category is monitored for five years.
A) Systematic
B) Convenience
C) Stratified
D) Cluster

- 19) To assess the variation in volume (in cubic centimeters) of different manufacturers' pre-filled hormone injections, reproductive biologists select every 50th syringe beginning at a random moment. Does this sampling plan result in a random sample? Simple random sample? 19) _____
- A) Yes; yes B) Yes; no C) No; yes D) No; no
- 20) To monitor the population of Herring in Manchester, New Hampshire, fisheries biologists catch samples of the fish in a river at various locations determined by a computer randomization program. Does this sampling plan result in a random sample? Simple random sample? 20) _____
- A) Yes; yes B) Yes; no C) No; yes D) No; no

Answer Key

Testname: CHAPTER 1 EXAM B

- 1) B
- 2) A
- 3) B
- 4) A
- 5) D
- 6) A
- 7) B
- 8) C
- 9) A
- 10) A
- 11) B
- 12) C
- 13) B
- 14) A
- 15) A
- 16) D
- 17) B
- 18) C
- 19) B
- 20) A

Chapter 1 Exam C

Name _____

SHORT ANSWER. Using the following information, write the word, phrase, or value that best answers the problem.

- 1) Determine whether the given value is a statistic or a parameter.
Park rangers identified the average (mean) number of reported bear sightings in all 32 state parks.
1) _____
- 2) Determine whether the given value is a statistic or a parameter.
A sample of patients had kidney transplants that lasted an average (mean) of 15 years.
2) _____
- 3) Determine whether the given values are from a discrete or a continuous data set.
The mean number of times that a sample of 50 adults have visited their dentist is 2.3 times.
3) _____
- 4) Determine whether the given values are from a discrete or a continuous data set.
The number of caterpillars from a sample of 55 milkweed plants is 185.
4) _____
- 5) Determine which of the four levels of measurement (nominal, ordinal, interval, or ratio) is most appropriate.
Doctors measure the weights (in pounds) of diabetic patients.
5) _____
- 6) Determine which of the four levels of measurement (nominal, ordinal, interval, or ratio) is most appropriate.
Marine Biologists classify turtles in the state of Florida using 5 different species: Loggerhead, Green Turtle, Leatherback, Hawk's Bill, and Kemp's Ridley.
6) _____
- 7) Determine which of the four levels of measurement (nominal, ordinal, interval, or ratio) is most appropriate.
The cholesterol level for patients at a hospital is noted as optimal, borderline high, and high.
7) _____
- 8) Determine which of the four levels of measurement (nominal, ordinal, interval, or ratio) is most appropriate.
Biologists measure the water temperature of Lake Okeechobee
8) _____
- 9) Identify the sample.
A graduate student conducts a research study on undergraduate student nutrition.
She begins with a survey to 250 randomly selected undergraduate students from five randomly selected U.S. universities.
9) _____
- 10) Identify the population.
A researcher randomly selects 40 male prairie chickens at the Crane Meadows Nature Center in Nebraska to study their mating rituals.
10) _____
- 11) Determine whether the given description corresponds to an observational study or an experiment.
A doctor gives a new medication to half of his patients with the flu and a placebo to the other half of his patients with the flu.
11) _____
- 12) Would an observational study or an experiment be more appropriate to investigate the effects on humans of a substance known to be toxic? Explain.
12) _____
- 13) Would an observational study or an experiment be more appropriate for investigating the effects on fertilizer on plant growth? Explain.
13) _____

- 14) Determine whether the given description corresponds to an observational study or an experiment. 14) _____
Felines with diabetes are randomly divided into three treatment groups (oral insulin, injected insulin, and a control group) to compare differences in glucose levels.
- 15) Identify the type of observational study: cross-sectional, retrospective, or prospective. 15) _____
A researcher from the county school system is studying the effects of an intervention on the growth mindset on school performance. He plans to follow the children who participated in this intervention for the next 5 years to see if performance differs for those who participated from those who didn't.
- 16) Identify the type of observational study: cross-sectional, retrospective, or prospective. 16) _____
Scientists studying pelican injuries due to fishing line entanglement collect data from reports measuring the number of injured pelicans over the past 12 years.
- 17) Determine the type of sampling used: systematic, convenience, stratified, or cluster. 17) _____
A county water quality control officer obtains a list of all residential addresses in the county and constructs a sample of homes to monitor by selecting every 200th home on the list.
- 18) Explain the difference between stratified and cluster sampling. 18) _____
- 19) Determine the type of sampling used: systematic, convenience, stratified, or cluster. 19) _____
To obtain a sample of females with rotator cuff injuries, a researcher asks people she sees at her gym whether they have had such an injury.
- 20) To assess the variation in measurement (in mL) of pre-filled vials containing Albuterol, manufacturers select every 100th vial beginning at a random moment. Does this sampling plan result in a random sample? Simple random sample? 20) _____

Answer Key

Testname: CHAPTER 1 EXAM C

- 1) Parameter
- 2) Statistic
- 3) Discrete
- 4) Discrete
- 5) Ratio
- 6) Nominal
- 7) Ordinal
- 8) Interval
- 9) 250 randomly selected undergraduate students from five randomly selected U.S. universities
- 10) All the male prairie chickens at the Crane Meadows Nature Center in Nebraska
- 11) Experiment
- 12) Observation
- 13) Experiment
- 14) Experiment
- 15) Prospective
- 16) Retrospective
- 17) Systematic
- 18) In both cluster sampling and stratified sampling, sub -groups (clusters or strata) are formed. However, in stratified sampling, all strata are used and a sample is selected from each strata. In cluster sampling, a sample of the clusters is first selected, then all members of those clusters are selected.
- 19) Convenience
- 20) Yes; no